

|    | Ref # | Hits | Search Text  | DBs  |
|----|-------|------|--|--|
| 1  | S1    | 76   | recall\$4 with (last previous\$2)<br>near2 channel\$1  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 2  | S2    | 9    | S1 same list\$1  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 3  | S3    | 1398 | (surf\$4 near2 list\$1)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 4  | S4    | 10   | S3 and "725"/\$.ccls.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 5  | S5    | 23   | ("4706121"   "4908713"   "4963994"<br>  "5253066"   "5262856"  <br>"5293357"   "5343250"   "5371551"<br>  "5477262"   "5479268"  <br>"5508815"   "5568272"   "5809204"<br>  "5864639"   "5900885"  <br>"5915068"   "5990975"   "6118498"<br>  "6330252"   "6334217"  <br>"6542203"   "6803968"  <br>"RE36801").PN. | US-PGPUB; USPAT;<br>USOCR                                |
| 6  | S6    | 1387 | recall\$4 with (last previous\$2)<br>near2 channel\$1 last near2<br>channels   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 7  | S7    | 0    | S6 and S5  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 8  | S11   | 4    | ("6177931" "20020078457").pn.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 9  | S12   | 0    | ("2001/0017672").URPN.   | USPAT  |
| 10 | S13   | 227  | history near2 channel\$1   | USPAT  |
| 11 | S14   | 28   | S13 and "725"/\$.ccls.   | USPAT  |
| 12 | S15   | 553  | history near2 channel\$1   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 13 | S16   | 84   | S15 and "725"/\$.ccls.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Ref # | Hits | Search Text   | DBs  |
|----|-------|------|---|--|
| 14 | S17   | 56   | S16 not S14   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 15 | S18   | 62   | S15 with (list\$1 recall\$1<br>previous\$2 last)  | USPAT  |
| 16 | S19   | 13   | S18 and "725"/\$.ccls.  | USPAT  |
| 17 | S20   | 49   | S18 not S19   | USPAT  |
| 18 | S21   | 207  | recall with channels  | USPAT  |
| 19 | S22   | 526  | recall\$3 with channels   | USPAT  |
| 20 | S23   | 28   | S22 and "725"/\$.ccls.  | USPAT  |
| 21 | S24   | 12   | (US-20010017672-\$ or US-<br>20040172651-\$ or US-20030018972-\$<br>or US-20050166235-\$ or US-<br>20020078457-\$).did. or (US-<br>4539711-\$ or US-6879350-\$ or US-<br>6971121-\$ or US-6005562-\$ or US-<br>6460183-\$ or US-5844620-\$ or US-<br>5805235-\$).did. | US-PGPUB; USPAT  |
| 22 | S25   | 4    | S24 and navigat\$5 near2 list\$1  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 23 | S26   | 2    | "20010017672"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 24 | S27   | 2    | "200145395"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 25 | S28   | 3    | "9960734"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 26 | S29   | 8276 | return\$3 with previous\$3 with<br>time\$1  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 27 | S30   | 1417 | (revert\$4 relaps\$4) with channel\$1   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 28 | S31   | 76   | recall\$4 with (last previous\$2)<br>near2 channel\$1   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Ref # | Hits | Search Text  | DBs  |
|----|-------|------|--|--|
| 29 | S32   | 1398 | (surf\$4 near2 list\$1)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 30 | S33   | 1387 | recall\$4 with (last previous\$2)<br>near2 channel\$1 last near2<br>channels | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 31 | S34   | 227  | history near2 channel\$1   | USPAT  |
| 32 | S35   | 526  | recall\$3 with channels  | USPAT  |
| 33 | S37   | 4    | ("6177931" "20020078457").pn.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 34 | S38   | 0    | S29 and S37  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 35 | S39   | 53   | S30 and (S31 or S32 or S33 or S34<br>or S35)                                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 36 | S40   | 25   | S29 and (S31 or S32 or S33 or S34<br>or S35)                                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 37 | S41   | 53   | S39 not S40  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 38 | S42   | 34   | (revert\$4 relaps\$4) near2<br>previous\$2 near2 program\$4                  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 39 | S43   | 13   | (revert\$4 relaps\$4) near2<br>previous\$2 near2 view\$4                     | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 40 | S44   | 7    | (timer\$1 near4 recall\$4) and<br>"725"/\$.ccls.                             | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 41 | S45   | 20   | S33 same (timer\$1)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 42 | S46   | 7    | S33 with (timer\$1)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 43 | S47   | 5    | S45 and "725"/\$.ccls.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Time Stamp       | Type | Comments | Error Definition | Errors |
|----|------------------|------|----------|------------------|--------|
| 29 | 2006/10/02 05:17 | BRS  |          |                  |        |
| 30 | 2006/10/02 05:02 | BRS  |          |                  |        |
| 31 | 2006/10/02 04:48 | BRS  |          |                  |        |
| 32 | 2006/10/02 04:48 | BRS  |          |                  |        |
| 33 | 2006/10/02 04:48 | BRS  |          |                  |        |
| 34 | 2006/10/02 04:48 | BRS  |          |                  |        |
| 35 | 2006/10/02 04:49 | BRS  |          |                  |        |
| 36 | 2006/10/02 04:52 | BRS  |          |                  |        |
| 37 | 2006/10/02 04:52 | BRS  |          |                  |        |
| 38 | 2006/10/02 04:58 | BRS  |          |                  |        |
| 39 | 2006/10/02 04:58 | BRS  |          |                  |        |
| 40 | 2006/10/02 05:02 | BRS  |          |                  |        |
| 41 | 2006/10/02 05:02 | BRS  |          |                  |        |
| 42 | 2006/10/02 05:15 | BRS  |          |                  |        |
| 43 | 2006/10/02 05:03 | BRS  |          |                  |        |

|    | Ref # | Hits       | Search Text   | DBs  |
|----|-------|------------|---|--|
| 45 | S49   | 3120<br>20 | timer relaps\$4 near2 time\$1                       | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 46 | S50   | 21         | S48 same S49  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 47 | S51   | 3          | S50 and "725"/\$.ccls.                              | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 48 | S52   | 1897       | surf\$4 near5 timer\$1                              | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 49 | S53   | 1          | S52 and S30   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 50 | S54   | 0          | S52 and S31   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 51 | S55   | 0          | S52 and S33   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 52 | S56   | 14         | S52 and S29   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 53 | S57   | 461        | remov\$4 with history\$1 with time\$1               | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 54 | S58   | 406        | remov\$4 with history\$1 with time                  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 55 | S61   | 0          | (S59 or S60) and S32                                | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 56 | S60   | 4          | remov\$4 with history\$1 with timer                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 57 | S59   | 4          | remov\$4 with history\$1 with timer                 | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 58 | S62   | 110        | (surf\$4 near2 list\$1) same<br>(delet\$4 remov\$3) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 59 | S63   | 0          | S62 and "725"/\$.ccls.                              | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Ref # | Hits | Search Text   | DBs  |
|----|-------|------|---|--|
| 60 | S64   | 111  | S33 same (delet\$4 remov\$3)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 61 | S65   | 2    | S64 and "725"/\$.ccls.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 62 | S66   | 15   | (US-20040172651-\$ or US-<br>20010017672-\$ or US-20020078457-\$<br>or US-20050166235-\$ or US-<br>20030018972-\$ or US-20050262539-\$<br>or US-20050278747-\$).did. or (US-<br>6460183-\$ or US-5844620-\$ or US-<br>5805235-\$ or US-4539711-\$ or US-<br>6879350-\$ or US-6971121-\$ or US-<br>6005562-\$ or US-5872588-\$).did. | US-PGPUB; USPAT  |
| 63 | S67   | 13   | S66 and (delet\$4 remov\$4)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 64 | S68   | 7    | bookmark\$1 near3 (expire\$2<br>expiring\$1 expiry\$1 timer\$1)   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 65 | S69   | 42   | bookmark\$1 with (expire\$2<br>expiring\$1 expiry\$1 timer\$1)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 66 | S70   | 5    | S69 and "386"/\$.ccls.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 67 | S71   | 11   | S69 and "725"/\$.ccls.  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 68 | S72   | 21   | ("5719637").URPN.   | USPAT  |
| 69 | S73   | 10   | S30 and S48   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 70 | S74   | 336  | last adj channel with ( timer<br>time)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 71 | S75   | 90   | S74 and ("725"/\$.ccls.)  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 72 | S76   | 16   | ("5194954").URPN.   | USPAT  |

|    | Ref # | Hits | Search Text   | DBs  |
|----|-------|------|---|--|
| 73 | S77   | 0    | S74 and S76   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 74 | S78   | 774  | last adj channel same ( timer<br>time)                  | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 75 | S79   | 1304 | (previous\$2 last) adj channel same<br>( timer time)    | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 76 | S80   | 0    | S79 and S76   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 77 | S81   | 1    | last adj channel and S76                                | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 78 | S82   | 4    | "20010017672" "5194954".pn.                             | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 79 | S83   | 0    | S82 and (EPG program adj2 guide\$1)                     | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 80 | S85   | 4    | "9734414"   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 81 | S84   | 20   | yuen.in. and "last channel"                             | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 82 | S86   | 1    | yuen.in. and "last channel" and<br>(set adj top)        | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 83 | S87   | 1    | yuen.in. and "last channel" and<br>(set adj top settop) | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |
| 84 | S88   | 2    | "6243676".pn.   | US-PGPUB; USPAT;<br>USOCR; EPO; JPO;<br>DERWENT; IBM_TDB |